

## **Historic, Archive Document**

Do not assume content reflects current  
scientific knowledge, policies, or practices.






62.37

## NO. 30 HEMEROCALLIS PUBLICATION

by J. B. S. Norton

February 1949

Hyattsville, Md.

OTHER RECENT NUMBERS

- No. 21. Hemerocallis that do well in Montgomery County, Maryland. In manual of plant material published by Men's Garden Club of Montgomery Co. p. 9-11, March 1948.
- No. 22. Registration of Hemerocallis clones. ~~Herbertia~~ 13:110-116, 1948.
- No. 23. Daylily choices. Herbertia 14:68-69, March 1948.
- No. 24. Registration of Hemerocallis clones. Herbertia 14:125-128, March 1948.
- No. 25. Making new daylilies. Herbertia 14:134-137, March 1948.
- No. 26. A daylily is not a lily. Midwest Hemerocallis Society News Letter, Vol.1, No. 2, p.6, June 1948.
- No. 27. Some problems for investigation in 1948. Midwest Hemerocallis Society 1948 Yearbook, p. 39, September 1948.
- No. 28. Hemerocallis species, l.c. p.49-51.
- No. 29. Notes published by others, l.c. p.65, 124

PRICE LIST FOR SPRING 1949

J. B. S. Norton, 4922 Fortieth Place, Hyattsville, Md.

Prices are for divisions shipped prepaid; they are 10% less for delivery at the Garden, or on orders of \$10 or more. Figures give height in feet. Colors are approximate. Daylily colors vary with light, temperature, moisture, and time of day.

Each week in blooming season, the best of each kind and color is marked with a \*, and a few of these with \*\*, as the cream of all. These marks of quality are given in the list below. Those that do not get a \* for at least one week in three years' trial are discarded and not included in the price list, but here are some of them at 25¢ each. They might do better with you: Algeria, Amber Gold, Antares, Chrome Orange, Crown of Gold, Flava Major, Floxham, Golden Mantle, Gold Imperial, Harvest Moon, Lady Premor Hesketh, Lemon King, Luteola Major, Luteola Pallens, Mandarin, Miranda.

Daylilies succeed under a great variety of conditions. They bloom for two to six weeks, from spring to late fall, nearly all colors and color combinations except blue and white. They are hard to kill. Favored planting times are April and August, or just after blooming. They are usually at their best the third year after planting.

Visit our Garden about May 20 to see most early kinds in bloom; June 15, to see the Japanese Iris Garden. July 10 is the peak of bloom for the hundreds of kinds of summer blooming daylilies, and soon after Liliun superbum, wild among the iris. In mid-August our new late hemerocallis hybrids are in flower. But a visit each month from March to November is needed to see all our 2,700 kinds of plants in bloom. There are over 500 named kinds of daylilies, and thousands of unnamed hybrids to be seen; also all kinds of plantain-lilies (Hosta, Funkia).

NEW AND VERY SCARCE.

\$5.00 each while they last

CAROL ANN (Norton, 1949), midsummer, 3-4 feet, sepals buff, petals old rose.

HIDDEN GLOW (Norton, 1949), late spring, 2-3 feet, light buff, sometimes a glow of red in the petals; was numbered NN.

ARTEMIS (Norton, 1949), midsummer, 2-3 feet, light yellow, sepals narrow and blunt, petals very wide near the tip and round as a half circle.

ALBERT GORHAM (Norton, 1949), midsummer, 4-6 feet, the large, bold flowers with blends of dark old rose and related colors brightened by the wide, buff petal mid-lines; was numbered AM.

NARCISSA (Norton, 1948), midsummer, 3 feet, light yellow with a pink tinge, widest segments.



ANOTHER, MORE ABUNDANT, AT \$3.00

PREVERNAL (Norton, 1949), very early, light yellow, starlike flowers; was numbered NS.

NEWLY INTRODUCED BALLARD CLONES

Two charming daylilies with abundant small flowers in August, from the breeding gardens of W. R. Ballard, well known horticultural specialist; see *Herbertia* 14:25. \$5.00 each.

DAINTY PASTEL (Ballard, 1948), 2, sepals yellow, petals salmon, very wide, frilled on one side.

COLOR CONTRAST (Ballard, 1948), similar to the latter, sepals sunflower yellow, petals chrysanthemum orange.

MAIN LIST, BY SEASON AND COLORVERY EARLY YELLOW

|   |        |
|---|--------|
| * <u>APRICOT</u> (Yeld), 2 . . . . .      | \$ .40 |
| <u>AUREOLE</u> , 2. . . . .               | .35    |
| <u>BETTY</u> (Norton), 2 . . . . .        | .80    |
| <u>GOLD DUST</u> (Yeld), 2 . . . . .      | .40    |
| <u>GRACILIS</u> , 2, narrow leaf. . . . . | .40    |
| * <u>FLAVINA</u> (Fewkes), 2 . . . . .    | 1.00   |
| * <u>WINSOME</u> (Yeld), 2 . . . . .      | .75    |

VERY EARLY ORANGE

|   |      |
|---|------|
| <u>H. DUMORTIERII</u> Morren, 1-2 . . . . .       | .40  |
| ** <u>ELIZABETH</u> (Norton), 2. . . . .          | 1.00 |
| <u>JUDGE ORR</u> (Orr), 2, large flowers. . . . . | 1.00 |

LATE SPRING YELLOW

|  |     |
|--|-----|
| * <u>H. FLAVA</u> , Lemon Lily, 2, . . . . .                       | .40 |
| <u>SOVEREIGN</u> (Yeld), 2. . . . .                                | .30 |
| ** <u>SEMPERFLORENS</u> (Van Tubergen), 2-3, also in fall. . . . . | .70 |

LATE SPRING ORANGE

|   |     |
|---|-----|
| <u>H. MIDDENDORFFII</u> Tr. & Mey., 2 . . . . . | .40 |
| <u>TANGERINE</u> (Yeld), 2 . . . . .            | .45 |

OTHER LATE SPRING

|   |      |
|---|------|
| <u>RUTH</u> (Norton), 2, orange buff star, faint red spots in throat. . . . . | 1.50 |
|---|------|

EARLY SUMMER YELLOW

|   |      |
|---|------|
| <u>AMARYLLIS</u> (Betscher), 2-3. . . . .   | .50  |
| <u>AURILLO</u> (Hayward), 2, light. . . . . | 2.00 |
| <u>CIRCE</u> (Stout), 3 . . . . .           | .80  |
| <u>CRESSIDA</u> (Betscher), 3 . . . . .     | .40  |
| <u>ESTMERE</u> (Yeld), 2, . . . . .         | 1.00 |



EARLY SUMMER YELLOW CONT'D

|   |         |
|---|---------|
| <u>GAIETY</u> (Betscher), 3 . . . . .                                       | \$ 1.25 |
| <u>JOHN BLASER</u> (Traub), 3-4; free, bright yellow, cutting type. . . . . | 1.00    |
| <u>LADY GAY</u> (Nesmith), 2, . . . . .                                     | 2.00    |
| <u>LEMONA</u> (Betscher), 3, light. . . . .                                 | .35     |
| <u>MAY MORN</u> (Nesmith), 2-3, . . . . .                                   | .75     |
| <u>MISS PRISCILLA</u> (Nesmith), 3, . . . . .                               | 1.50    |
| <u>**MODESTY</u> (Betscher), 3, . . . . .                                   | .75     |
| <u>SIR MICHAEL FOSTER</u> (Mueller), 3, . . . . .                           | .50     |
| <u>THE GEM</u> (Betscher), 3, . . . . .                                     | .40     |
| <u>B. LADHAMS</u> , 2-3 . . . . .   | 1.00    |

EARLY SUMMER ORANGE

|   |      |
|---|------|
| <u>DOMESTICO</u> , 2, . . . . .           | 1.00 |
| <u>DOVER</u> (Betscher), 3, . . . . .     | .40  |
| <u>*GENEVIEVE</u> (Norton), 2-3 . . . . . | 3.00 |
| <u>GOLDENI</u> (Betscher), 3, . . . . .   | .35  |
| <u>ORANGEMAN</u> (Yeld), 2-3, . . . . .   | .35  |

OTHER EARLY SUMMER

|   |      |
|---|------|
| <u>ARABY</u> (Hayward), 3, eyed brown. . . . .  | 2.00 |
| <u>*H. AURANTIACA</u> Baker, 2-3, the true kind sometimes sold as aurantiaca major, red orange. . . . . | .40  |
| <u>*BARONET</u> (Stout), bright orange red. . . . .   | 2.00 |
| <u>BROWNIE</u> (Watkins), 2, small; brown. . . . .  | 2.00 |
| <u>CAPRICE</u> (Stout), brownish red. . . . .   | 3.00 |
| <u>COLONIAL</u> (Norton), light buff, pale purple brown eye . . . . .                                   | 2.00 |
| <u>ETHEL</u> (Norton), 3, light yellow, zigzag halo . . . . .   | 2.00 |
| <u>*EUROPA</u> (Stout), 4; common wild H. fulva . . . . .   | .30  |
| <u>MAE</u> (Norton), 3, dull rose red . . . . .   | 1.50 |
| <u>*MELO</u> (Norton), 3, light brown and orange . . . . .  | 2.00 |
| <u>**MIKADO</u> (Stout), 3, large brown spots on orange . . . . .                                       | .45  |
| <u>*MISS JENNIE</u> (Norton), 3, light orange buff, shaded throat . . . . .                             | 3.00 |
| <u>PURPLE WATERS</u> (Russell), 3, dark . . . . .   | 2.00 |
| <u>RED GEM</u> (Russell), 3-4 . . . . .   | 3.00 |
| <u>SIRIUS</u> (Yeld), 3, yellow, throat shaded. . . . .   | .60  |
| <u>WOODRIDGE</u> (Norton), 3, yellow and dark red bicolor, open 26 hours, remontant . . . . .           | .70  |

MIDSUMMER YELLOW

|   |      |
|---|------|
| <u>AUTUMN HAZE</u> (Nesmith), 3 . . . . .                 | 1.50 |
| <u>BEACON</u> (Betscher), 3 . . . . .                     | .50  |
| <u>H. CITRINA</u> (Baroni), 4-5 night blooming. . . . .   | .50  |
| <u>CAMPANILE</u> (Norton), 3-4, full of flowers . . . . . | 1.00 |
| <u>HAVILAH</u> (Norton), 3: . . . . .                     | 2.00 |
| <u>HALO</u> (Yeld), 3 . . . . .                           | .50  |
| <u>HANNAH DUSTIN</u> (Plouf), 3, fine form. . . . .       | 2.00 |
| <u>HELEN CAMPBELL</u> (Perry), 3-4. . . . .               | .40  |
| <u>J. A. CRAWFORD</u> (Betscher), 3-4, large. . . . .     | .40  |
| <u>LOVETTS ORANGE</u> (Lovett), 3 . . . . .               | .40  |
| <u>MOONBEAM</u> (Sass), 3-4, light. . . . .               | 1.50 |
| <u>*OPHIR</u> (Farr), 3 . . . . .                         | .50  |



MIDSUMMER YELLOW CONT'D

|  |        |
|--|--------|
| PALE MOON, 3 . . . . .                   | \$ .60 |
| **PATRICIA (Stout), 3. . . . .           | 1.00   |
| SUMMER MULTIFLORA (Stout), 2-3 . . . . . | .60    |
| WAU-BUN (Stout), 2-3 . . . . .           | 1.00   |

MIDSUMMER ORANGE

|  |     |
|--|-----|
| DONALD WYMAN (Betscher), 3, red orange . . . . . | .50 |
| GERTRUDE (Norton), 3 . . . . .                   | .80 |
| GYPSY (Betscher), 3. . . . .                     | .40 |
| ORANGE REX (Norton), 5 . . . . .                 | .75 |

MIDSUMMER RED

|  |      |
|--|------|
| CISSY GIUSEEPE (Perry), 2-3, small, crimson rose . . . . .     | .40  |
| *CRAEMORE RUBY (Plouf), 3, deep ruby . . . . .                 | 3.00 |
| DEMON (Russell), 2, small, deep red. . . . .                   | 2.00 |
| EARLE (Norton), 2-3. . . . .                                   | 1.00 |
| GYPSY FLAME (Nesmith), 3-4, orange and red . . . . .           | 2.00 |
| IMPERATOR (Perry), 3 . . . . .                                 | .40  |
| JIMMIE JUNIOR (Norton), 3, wide open, dark, rose red . . . . . | 1.00 |
| MATADOR (Nesmith), 3-4 . . . . .                               | 3.00 |
| MINNIE (Hayward), 3. . . . .                                   | 2.50 |
| **SEMINOLE CHIEF (Lester), 3, large, brilliant red . . . . .   | 5.00 |
| VULCAN (Stout), 2-3, maroon. . . . .                           | 1.50 |

OTHER MIDSUMMER

|  |      |
|--|------|
| BICOLOR (Stout), 3-4, yellow and rose. . . . .                         | 2.50 |
| BAGDAD (Stout), 3, orange and red. . . . .                             | .50  |
| BARDELEY (Perry), 3, red and yellow. . . . .                           | .50  |
| BIJOU (Stout), 2, many small orange and red flowers. . . . .           | .75  |
| BURGUNDY (Nesmith), 2-3, brown purple. . . . .                         | 2.00 |
| BURNING STAR (Nesmith), 3, red . . . . .                               | 2.00 |
| *DAUNTLESS (Stout), 3, pale orange, pastel eye . . . . .               | .75  |
| EMBER GLOW (Traub), 3, yellow and light orange red . . . . .           | 2.00 |
| FESTIVAL (Stout), 3, orange and red. . . . .                           | 2.00 |
| FLORIDA (Hayward), 2, light brown. . . . .                             | .50  |
| GERONIMO (Fisher), 3, yellow and brown . . . . .                       | 2.50 |
| GLOWING (Norton), 2-3, a metallic, sunshine effect . . . . .           | .50  |
| *MACULATA (Baroni), 3-4, large, light orange red, darker eye . . . . . | .40  |
| MAYOR STARZYNSKI (Traub), 4, bronze rose . . . . .                     | 3.00 |
| **MOON-RAY (Nesmith), 2-3, very pale, rose purple halo . . . . .       | 3.00 |
| PEACHBLOW (Nesmith), 3, pink and yellow. . . . .                       | 1.00 |
| REBA COOPER (Traub), 3, rosy red . . . . .                             | 2.00 |
| ROSALIND (Stout), 3-4, rose. . . . .                                   | 3.00 |

LATE SUMMER AND AUTUMN

|  |      |
|--|------|
| AUGUST ORANGE (Stout), 2-3, orange . . . . .               | 3.00 |
| AUGUST PIONEER (Stout), 2, pinkish orange. . . . .         | 1.00 |
| AUTUMN HAZE (Nesmith) 2, pale apricot. . . . .             | 2.00 |
| BRIGHT EYE (Norton), 2-3, orange yellow, red halo. . . . . | 2.50 |



LATE SUMMER AND AUTUMN CONT'D

|  |         |
|--|---------|
| CHENG TU (Stout), 3, orange red, darker eye . . . . .                | \$ 1.00 |
| **COLONEL BESLEY (Norton), 2, orange brown, large dark eye . . . . . | 5.00    |
| HANKOW (Stout), eyed orange red. . . . .                             | 2.00    |
| HIGGBOY (Gray & Cole), 5, yellow . . . . .                           | .50     |
| JEAN WATSON (Mc Dade), 3-4, orange, tinged red . . . . .             | 1.00    |
| LORIS DOE (Mc Dade), 3, orange red . . . . .                         | 1.00    |
| DOROTHY MC DADE (Sass), 3-4, large, full, light yellow . . . . .     | 3.00    |
| MARGARET PERRY (Perry), 3, dull red. . . . .                         | .30     |
| *MRS. W. H. WYMAN (Betscher), 3, yellow. . . . .                     | .50     |
| *RICHARD (Norton), 4, dull orange. . . . .                           | 3.00    |
| SOULAN (Stout), 3, yellow. . . . .                                   | .70     |
| SUNNY WEST (Sass), 4, yellow . . . . .                               | 2.00    |
| THERON (Stout), 2-3, dark purple red . . . . .                       | 2.50    |
| H. THUNBERGII (H. Serotina), lemon . . . . .                         | .35     |
| VESTA (Stout), 2, orange . . . . .                                   | .70     |
| YELDRIN (Stout), 2-3, many small yellow flowers. . . . .             | 3.00    |

Many early blooming kinds flower again in September and October.

DOUBLE DAYLILIES

|   |      |
|---|------|
| *FLORE PLENO (Vietch), 3, best of double fulvous, buds pointed . . . . .                        | .40  |
| KWANSO (Siebold), 3, another old fulvous, buds cylindric . . . . .                              | .40  |
| VARIEGATED KWANSO, Like Kwanso, but leaves white striped . . . . .                              | 1.00 |
| KWANSO VIRGINICA, is the same as the old Flore Pleno . . . . .                                  |      |
| MRS. JONES (Norton), 2, an early yellow, about 5% of the flowers with 7 to 12 segments. . . . . | .50  |

SEEDS

Prices of Hemerocallis seeds and instructions for growing new kinds from them will be sent on request.

Write to the Secretary, Mrs. Pearl Sherwood, Atlantic, Iowa, about joining the Hemerocallis Society; and to E. Frederick Smith, Box 2398, Stanford, California, about the American Plant Life Society and its annual, *Herbertia*, which has published more on Hemerocallis than any other periodical.



